



CITROËN RELAY

PRODUCT SPECIFICATIONS

INSPIRÉ
PAR PRO
SINCE 1919

OVER TO YOU

ADVANCED, WELL EQUIPPED AND EFFORTLESSLY FUNCTIONAL.



X.

NEW CITROËN RELAY X SPECIFICATION INCLUDES:

Comfort & Convenience

- Front electric windows
- Twin lens door mirrors with electrically adjustable and heated upper mirror
- 12v socket in cabin
- Full size steel spare wheel
- Reach adjustable steering wheel
- Two cupholders with mobile phone storage in centre of lower dashboard

Safety & Security

- ESC with Hill Start Assist, ABS braking including EBA and EBFD
- Remote central locking with deadlocking and separate locking for cab
- Driver airbag
- Full steel bulkhead (panel van only)
- Daytime running lights

Seating

- Driver's seat with height, rake and reach adjustment
- Dual passenger bench seat

Technology & Entertainment

- DAB radio with Bluetooth® handsfree, USB socket and steering wheel mounted controls
- Telematics box for Free2Move Connect Fleet Services

Exterior Features

- Side rubbing strips
- Steel wheels with centre cap
- Twin unglazed rear doors (opening to 180° - panel van only)
- Nearside sliding side loading door

Window Van Only

- Ladder frame protection behind driver
- Twin glazed rear doors with heated windows (opening to 180°) Glazing to row 2, 3 and nearside sliding side loading door

WORKER.

NEW CITROËN RELAY WORKER SPECIFICATION IN ADDITION TO X INCLUDES:

Comfort and Convenience

- Cruise control with variable speed limiter
- Lower central glovebox (in lieu of cupholders and mobile phone storage)

Safety & Security

- Grip Control with Hill Descent Control Underbody protection plate
- Reinforced suspension

Seating

- Driver's seat with height, rake, reach and lumbar adjustment Driver's seat armrest

Exterior Features

- Multi-season tyres
- Front and rear mudflaps

Technology & Entertainment

- DAB radio with steering mounted controls, 5 inch colour touch screen, Bluetooth® handsfree, & USB socket

ENTERPRISE.

NEW CITROËN RELAY ENTERPRISE SPECIFICATION IN ADDITION TO X INCLUDES:

Comfort & Convenience

- Air conditioning
- Cruise control with variable speed limiter
- Rear parking sensors

Safety & Security

- Alarm

Seating

- Driver's seat with height, rake, reach and lumbar adjustment
- Driver's seat armrest

Technology & Entertainment

- 5" Colour touchscreen with DAB radio, integrated satellite navigation, Bluetooth® handsfree, USB socket and steering wheel mounted controls

Crew Van Only

- Three-seat bench in row 2 with fixed side windows, cloth headlining and non slip floor
- Full, toughened plastic bulkhead with polycarbonate window fixed behind row 2 seats (in-lieu of full steel bulkhead behind row 1)
- Moulded side panels with integrated bottle holders

DRIVER.

NEW CITROËN RELAY DRIVER SPECIFICATION IN ADDITION TO ENTERPRISE INCLUDES:

Comfort & Convenience

- Rear parking sensors and camera

Lighting and Visibility

- LED running lights integrated into the main headlights
- Automatic windscreen wipers
- Automatic lights

Exterior Features

- Full wheel trims

Technology & Entertainment

- USB charging socket on dashboard

Safety & Security

- **Drive Assist Pack** – Active Safety Brake, collision alert, Lane Departure Warning, smart beam headlights and speed limit recognition



	X	Worker	Enterprise	Driver	Crew Van Enterprise	Window Van X
--	---	--------	------------	--------	---------------------	--------------

DIESEL ENGINES	X	Worker	Enterprise	Driver	Crew Van Enterprise	Window Van X
BlueHDi 120 S&S	•		•			•
BlueHDi 140 S&S	•	•	•	•	•	•

For full engine availability please refer to the Technical Specifications and Price Insert.

EQUIPMENT SPECIFICATION

To make choosing straightforward and enjoyable, we've worked hard to ensure that the information in this brochure is accurate at the time it was created in December 2019. It's important to remember that Citroën can introduce changes to the equipment and accessories featured, although these wouldn't alter the essential character and design of the models. Naturally the images and specifications are also dependent on trim level and any options included.

We know how important it is to present the right facts and figures, so our brochures are regularly updated, however it is important that you consult your dealer when ordering your vehicle to ensure you are advised of the latest specifications and equipment.

Standard equipment ●
Optional factory fitted equipment ○

Option availability varies according to version/engine/trim level.
Some options are only available as part of a pack.
Please refer to the options page for further information.

	Panel Van					
	X	Worker	Enterprise	Driver	Crew Van	Enterprise Window Van X
TECHNOLOGY & ENTERTAINMENT						
Telematics box for Free2Move Connect Fleet services	●	●	●	●	●	●
DAB radio with steering mounted controls, Bluetooth® handsfree and USB socket	●					●
5" Colour touchscreen with DAB radio, Bluetooth® handsfree, USB socket and steering wheel mounted controls		●				
5" Colour touchscreen with DAB radio, integrated satellite navigation, Bluetooth® handsfree, USB socket and steering wheel mounted controls	○	○	●	●	●	○
COMFORT AND CONVENIENCE						
Variable assisted power steering	●	●	●	●	●	●
Gear shift indicator	●	●	●	●	●	●
Twin lens door mirrors with electrically adjustable and heated upper mirror	●	●	●	●	●	●
Rear parking sensors	○	○	●	●	●	○
Rear view camera	○	○	○	●	○	○
Electric front windows	●	●	●	●	●	●
Reach adjustable steering wheel	●	●	●	●	●	●
Central dash folding clipboard (deleted with passenger airbag)			●		●	
Manual air-conditioning for cab area, including glovebox	○	○	●	●	●	○
SAFETY & SECURITY						
Drive Assist Pack – Speed limit recognition, smart beam headlights, Active Safety Brake, collision alert and Lane Departure Warning system	○	○	○	●	○	○
ABS	●	●	●	●	●	●
Electronic Stability Control (ESC)	●	●	●	●	●	●
Emergency Braking Assistance	●	●	●	●	●	●
EBFD (Electronic Brake Force Distribution)	●	●	●	●	●	●
Thatcham rolling transponder immobiliser	●	●	●	●	●	●
Oil level indicator	●	●	●	●	●	●
Cruise control with variable speed limiter	○	●	●	●	●	○
Driver's airbag	●	●	●	●	●	●

	Panel Van					
	X	Worker	Enterprise	Driver	Crew Van	Enterprise Window Van X
SAFETY & SECURITY (CONTINUED)						
Full size steel spare wheel	●	●	●	●	●	●
Three x3 point inertia reel, height adjustable seatbelts (Two with single passenger seat)	●	●	●	●	●	●
Perimetric alarm	○	○	●	●	●	○
Deadlocks	●	●	●	●	●	●
High frequency remote control central locking with 3-button plip	●	●	●	●	●	●
Visible Vehicle Identification Number (at base of windscreen)	●	●	●	●	●	●
LIGHTING & VISIBILITY						
Halogen headlights with clear polycarbonate lenses	●	●	●	●	●	●
Front LED daytime running lights	○	○	○	●	○	○
2 speed, intermittent front windscreen wipers (non-automatic)	●	●	●		●	●
Visibility Pack – automatic lights and windscreen wipers	○	○	○	●	○	○
Remote headlight adjustment from fascia	●	●	●	●	●	●
Tinted windows	●	●	●	●	●	●
Laminated windscreen	●	●	●	●	●	●
Manually folding door mirrors	●	●	●	●	●	●
DOORS & WINDOWS						
Rear doors opening to 180°	●	●	●	●	●	●
Nearside sliding side loading door	●	●	●	●	●	●
Fixed side windows in row 2					●	●
Unglazed rear doors	●	●	●	●	●	
Glazed rear doors with heated windows	○	○	○		○	●
LOAD CARRYING						
Ladder frame bulkhead						●
Full steel bulkhead	●	●	●	●		
Full, toughened plastic bulkhead with polycarbonate window fixed behind row 2 seats						●
Eight tie-down hooks in the load area (ten on L3 & L4)	●	●	●	●		●
Rear single-leaf suspension	●		●	●	●	●
Rear reinforced twin-leaf suspension	○	●	○	○	○	○

	Panel Van					
	X	Worker	Enterprise	Driver	Crew Van	Enterprise Window Van X
SEATING						
Driver's seat height adjustment	●	●	●	●	●	●
Driver's seat armrest, lumbar adjustment and under seat storage		●	●	●	●	
Passenger bench seat	●	●	●	●	●	●
Three-seat bench in row 2 with adjustable head restraints						●
Non slip hard-wearing front cabin floor covering	●	●	●	●	●	●
INTERIOR STYLE & STORAGE						
Two cup holders and mobile phone storage in centre of lower dashboard	●	○	○		○	●
Lockable, non-illuminated glove box	●	●	●	●	●	●
Lower central glovebox	○	●	●	○	●	○
12v socket in cabin	●	●	●	●	●	●
USB charging socket on dashboard	○	○	○	●	○	○
Load area light (two on H2 & H3)	●	●	●	●	●	●
Row 2 fitted with cloth headlining, non slip floor and moulded side panels with integrated bottle holders						●
WHEELS, TYRES & EXTERIOR STYLE						
Grip Control with Hill Descent Control	○	●	○	○	○	○
Multi-season tyres		●				
Underbody protection plate	○	●	○	○	○	○
Front and rear mudflaps	○	●	○	○	○	○
Full wheel trims	○	○	○	●	○	○
INSTRUMENTS						
Rev counter, water temperature gauge, fuel gauge and trip computer	●	●	●	●	●	●
Battery charge warning	●	●	●	●	●	●
Bulb out warning for side light, headlamp and indicators	●	●	●	●	●	●
Lights on alarm	●	●	●	●	●	●
Door open warning for cab doors	●	●	●	●	●	●

EXTERIOR SPECIFICATION

WHEELS



STANDARD STEEL WHEELS
Tyres: 215/70 R15 C
30,33,35 Panel & Crew Vans



STANDARD STEEL WHEELS
Tyres: 215/75 R16 C
35 Heavy Panel Vans



15" WHEEL TRIMS
Tyres: 215/70 R15 C
30,33,35 Panel Vans



16" WHEEL TRIMS
Tyres: 215/75 R16 C
35 Heavy Panel Vans



15" ALLOY WHEELS
Tyres: 215/70 R15 C
30,33,35 Panel Vans



16" ALLOY WHEELS
Tyres: 215/75 R16 C
35 Heavy Panel Vans

BODY COLOURS



Polar White



Pacific Blue



Imperial Blue



Tiziano Red



Black



Iron Grey (M)




Cumulus Grey (M)



Lake Blue (M)




Golden White (M)



Graphito Grey (M)

INTERIOR TRIMS



'Magnet' trim – dark grey cloth with black and red twill

(M) Metallic

Please note: Colours and pictures shown are for illustration purposes only. Please consult your Dealer for definitive colour and trim/upholstery details.

TECHNICAL SPECIFICATION

VERSIONS	BlueHDi 120 S&S		
	Van		Window Van
	30	33	33
	L1		
	H1		
ENGINE			
Capacity (cc)	2179		
Cylinders / Valves	4 / 16		
Max power CEE (kW/rpm)	88 (120) / 3500		
Max torque CEE (Nm/rpm)	310 (228) / 1500		
Bore and stroke (mm)	85 x 96		
Fuel system	Diesel - High pressure turbo-charged direct injection		
Euro status	Euro 6.2		
Stop & Start System	•		
TRANSMISSION			
Gearbox	Manual		
Number of Gears	6		
ECONOMY Litres/100km (mpg) <small>(Official Government test fuel consumption figures)</small>			
Low	10.1 - 7.9 (27.9 - 35.9)		
Medium	9.4 - 7.0 (30.1 - 40.3)		
High	9.4 - 7.0 (30.0 - 40.6)		
Extra-high	12.6 - 9.8 (22.4 - 28.9)		
Combined	10.6 - 8.1 (26.6 - 34.9)		
CO₂ EMISSIONS (g/km)	155	154	154
WEIGHTS (kg) with 3 seats / 2 seats			
Gross Vehicle Weight (GVW)	3000	3300	3300
Kerb weight ¹	1875	1875	1875
Mass in service	2058	2058	2058
Maximum Indicative Payload ²	1125	1425	1425
Max plated front axle ³	1680	1800	1800
Max plated rear axle ³	1650	1900	1900
Gross Train Weight (GTW)	5500	5800	5800
Maximum braked towing weight ⁴	2500	2500	2500
Maximum unbraked towing weight	750	750	750
Maximum towball weight	100	100	100
Max roof rack load	150	150	150
BRAKES Front / Rear	Ventilated discs / discs		
SUSPENSION	Front: Independent with Macpherson type struts with coil springs and integral dampers Rear: Longitudinal leaf springs with telescopic hydraulic dampers		
FUEL TANK CAPACITY Litres (gallons)	90 (19.8)		
ADBLUE TANK CAPACITY Litres	18.6		

¹ Without driver. Kerb weight is calculated for a European base specification vehicle including oil, water, lubricants, tools, spare wheel and 90% full fuel tank. Weights may change with the addition of equipment.

² Maximum indicative payload is calculated as the difference between GVW and kerb weight. However, due to manufacturing tolerances and differences in the specification of UK vehicles, the mass in service figure provides a closer indication of the vehicle weight and therefore enables a more realistic payload to be calculated. An individual vehicle must be weighed to establish the exact kerb weight and payload applicable to that vehicle. It is the responsibility of the driver to ensure the vehicle is operated within the legal limits.

³ Within limits of GVW.

⁴ Maximum recommended towing weight within limits of GTW.

Quoted values apply to all trim levels unless detailed.

Figures shown are for comparison purposes only; you should only compare these fuel consumption and CO₂ figures with other vehicles tested using the same technical standard. The fuel consumption you achieve, and CO₂ produced, in real world conditions will depend upon a number of factors: including the accessories fitted (post registration), variations in weather, driving styles and vehicle load. There is a new test WLTP (Worldwide Harmonised Light Vehicles Test Procedure) used to measure fuel consumption and CO₂ figures. The CO₂ figures shown are NEDCeq (New European Driving Cycle Equivalent), calculated using an EC correlation tool which converts WLTP figures to NEDC. These NEDCeq figures are based on the outgoing test cycle. CO₂ and fuel economy figures may vary according to wheel fitment and optional extras fitted.

VERSIONS	BlueHDi 140 S&S								
	Van		Van	Window Van	Van		Van		Crew Van
	35		35	35	35 Heavy	35	35 Heavy		35
	L2		L3		L3		L4		L3
	H1	H2	H2		H2	H3	H2	H3	H2
ENGINE									
Capacity (cc)	2179								
Cylinders / Valves	4 / 16								
Max power CEE (kW/rpm)	103 (140) / 3750								
Max torque CEE (Nm/rpm)	340 (250) / 1750								
Bore and stroke (mm)	85 x 96								
Fuel system	Diesel - High pressure turbo-charged direct injection								
Euro status	Euro 6.2								
Stop & Start System	•								
TRANSMISSION									
Gearbox	Manual								
Number of Gears	6								
ECONOMY Litres/100km (mpg) <small>(Official Government test fuel consumption figures)</small>									
Low	10.4 - 8.1 (27.1 - 34.9)								
Medium	9.9 - 7.2 (28.4 - 39.3)								
High	9.6 - 7.1 (29.4 - 39.8)								
Extra-high	13.2 - 9.9 (21.4 - 28.6)								
Combined	11.1 - 8.2 (25.5 - 34.3)								
CO₂ EMISSIONS (g/km)	153	159	162	162	166 (169 Worker)	169	166	175	162
WEIGHTS (kg) with 3 seats / 2 seats									
Gross Vehicle Weight (GVW)	3500	3500	3500	3500	3500	3500	3500	3500	3500
Kerb weight ¹	1930	1955	2005	2005	2045	2030	2090	2120	2110
Mass in service	2113	2138	2188	2188	2228	2213	2273	2303	2293
Maximum Indicative Payload ²	1570	1545	1495	1495	1455	1470	1410	1380	1390
Max plated front axle ³	1870	1870	1870	1870	2100	1870	2100	2100	1870
Max plated rear axle ³	2000	2000	2000	2000	2400	2000	2400	2400	2000
Gross Train Weight (GTW)	6000	6000	6000	6000	6500	6000	6500	6500	6000
Maximum braked towing weight ⁴	2500	2500	2500	2500	3000	2500	3000	3000	2500
Maximum unbraked towing weight	750	750	750	750	750	750	750	750	750
Maximum towball weight	100	100	100	100	100	100	120	120	100
Max roof rack load	150	150	150	150	150	150	150	150	150
BRAKES Front / Rear	Ventilated discs / discs								
SUSPENSION	Front: Independent with Macpherson type struts with coil springs and integral dampers Rear: Longitudinal leaf springs with telescopic hydraulic dampers								
FUEL TANK CAPACITY Litres (gallons)	90 (19.8)								
ADBLUE TANK CAPACITY Litres	18.6								

DIMENSIONS

VERSIONS	RELAY L1	RELAY L2		RELAY L3		RELAY L3 CREW VAN	RELAY L4	
Interior dimensions (mm)	H1	H1	H2	H2	H3	H2	H2	H3
Volume (m ³)	8	10	11.5	13	15	10.5	15	17
Load length at floor	2670	3120	3120	3705	3705	3075	4070	4070
Load length at mid-height with bulkhead	2464	2914	2914	3555	3555	2335	3920	3920
Load width (maximum)	1870	1870	1870	1870	1870	1870	1870	1870
Load width between wheel arches	1422	1422	1422	1422	1422	1422	1422	1422
Load height (maximum)	1662	1662	1932	1932	2172	1932	1932	2172
Load height under row 2 bench seat (maximum)	-	-	-	-	-	380	-	-
Side door width	1075	1250	1250	1250	1250	1250	1250	1250
Side door height	1485	1485	1755	1755	1755	1755	1755	1755
Rear doors width	1562	1562	1562	1562	1562	1562	1562	1562
Rear doors height	1520	1520	1790	1790	2030	1790	1790	2030
Load sill height	535 - 565	535 - 565	535 - 565	535 - 565	535 - 565	535 - 565	535 - 565	535 - 565
EXTERIOR DIMENSIONS (MM)								
Wheelbase	3000	3450	3450	4035	4035	4035	4035	4035
Length	4963	5413	5413	5998	5998	5998	6363	6363
Height	2254	2254	2522	2522	2760	2522	2522	2760
Width (excl. door mirrors)	2050	2050	2050	2050	2050	2050	2050	2050
Front overhang	948	948	948	948	948	948	948	948
Rear overhang	1015	1015	1015	1015	1015	1015	1380	1380
STEERING								
Turns from lock to lock	3.87							
Turning circle between kerbs/walls (m) L1	11.26 / 11.44							
Turning circle between kerbs/walls (m) L2	12.64 / 12.84							
Turning circle between kerbs/walls (m) L3 & L4	14.24 / 14.46							

CITROËN & YOU

WITH THE ADDED REASSURANCE OF A WARRANTY, ROUTINE SERVICING AND MAINTENANCE, AS WELL AS 24-HOUR ROADSIDE ASSISTANCE, YOU ARE PROTECTED.

CITROËN WARRANTY

Every new Citroën van has the benefit of a 3 year* warranty package, plus a 5 year anti-perforation** warranty and a 2 year paint warranty.

*2 years' unlimited warranty. No-fee customer option of 1 year's Dealer provided warranty, only on vans sourced from Citroën UK Limited. Note: Dealer provided warranty is limited to 100,000 miles for vans, motorhomes and converted vehicles. **Against all internal to external perforation to bodywork or underbody.

CITROËN MAINTENANCE

From roadside assistance to replacing wear and tear parts or regular servicing, with Citroën Maintenance you have total peace of mind. For a one-off fee or low monthly payment, our experienced engineers will take care of your Citroën, whatever happens. To find out more, contact your Citroën Dealer or Citroën Authorised Repairer.

CITROËN ASSIST

In response to a free telephone call in the UK, Citroën Assistance brings rapid expert roadside assistance to you in an emergency. It comes free of charge for a full year and operates 24 hours a day in all parts of the UK and Europe. Services include nationwide recovery for both van and passengers, a home call service, replacement vehicle, hotel accommodation and vehicle storage if required. Please note, Citroën Assistance only applies to incidents covered by the new vehicle warranty, and excludes non-vehicle faults, such as running out of fuel, mis-fuelling, loss of keys, lock-ins, road traffic accidents and punctures/wheel changes. For more details please contact Citroën at <http://citroen-uk-en.custhelp.com>

CITROËN SERVICING

Available up to 1 year from your vehicle's registration date, but before its first chargeable service, a Citroën Servicing Package enables you to pay in advance for your vehicle's servicing needs for 3 years/35,000 miles. For further information, please contact your Citroën Dealer.

CITROËN MAINTENANCE

Once your vehicle is three years old, it requires an annual MOT Test. This is a legal requirement to check that it meets road safety and environmental standards. Our nationwide network of Citroën Authorised Repairers know your Citroën best, so if your vehicle's MOT Test is due, why not contact your local Citroën dealer? You can be confident that your vehicle will be looked after by one of our expert trained Citroën Technicians, nominated by DVSA as accredited MOT Testers. Plus, whilst your vehicle is with us, we'll carry out a free outstanding manufacturer diagnostic test, check for any new technical updates and carry them out for free - that's the advantage of getting your test done by the people who really know your Citroën.

CITROËN prefers TOTAL - Note: Images and specification descriptions are dependent on trim level and options specified. Every endeavour has been made to ensure that the information and details contained in this brochure were accurate at the time of going to press. However the company reserves the right, whilst preserving the essential characteristics of the models described, to introduce at any time modifications, changes of details, equipment or accessories. Every effort will be made to bring this brochure up to date, but in order to avoid any misunderstanding please consult your Dealer. The Citroën Website contains full information on all Citroën products and offers available in the UK, together with details of our environmental and recycling policies.



TO FIND OUT MORE
visit citroen.co.uk